

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO. FILING DATE		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO		
09/902,828		07/10/2001	Darren Kenneth Rogers	1368 CIP (Touchstone)	9834		
30010	7590	09/04/2002					
AUZVILLI			EXAMINER				
8652 RIO GI RICHMONI				MEDLEY, MARGARET B			
				ART UNIT	PAPER NUMBER		
				1714	10		
				DATE MAILED: 09/04/2002			

Please find below and/or attached an Office communication concerning this application or proceeding.

•		Application No.		Applicant(s)	
		09/902,828	ROGERS, DARREN KENNETH		
	Office Action Summary	Examiner		Art Unit	
		Margaret B. Me	dley	1714	40
Period fo	The MAILING DATE of this communication apor Preply	ppears on the cove	r sheet with the co	rrespondence a	ddress
THE - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD FOR REP MAILING DATE OF THIS COMMUNICATION nsions of time may be available under the provisions of 37 CFR 1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reperiod for reply is specified above, the maximum statutory perior to reply within the set or extended period for reply will, by statutely received by the Office later than three months after the mailed patent term adjustment. See 37 CFR 1.704(b).	.136(a). In no event, how ply within the statutory mid d will apply and will expire tte, cause the application t	ever, may a reply be time nimum of thirty (30) days v SIX (6) MONTHS from th o become ABANDONED	ly filed will be considered time e mailing date of this (35 U.S.C. § 133).	ely. communication.
1) 🖂	Responsive to communication(s) filed on 24	April 2002 and 20) June 2002 .		
2a) 🗌	This action is FINAL . 2b)⊠ T	his action is non-f	inal.		
3) 🗌 Dispositi	Since this application is in condition for allow closed in accordance with the practice unde on of Claims	vance except for for for For Ex parte Quayle,	ormal matters, pro 1935 C.D. 11, 45	secution as to t 3 O.G. 213.	he merits is
4) 🖂	Claim(s) 1-20 is/are pending in the application	on.			
	4a) Of the above claim(s) is/are withdr	awn from consider	ation.		
5)	Claim(s) is/are allowed.				
6)⊠	Claim(s) 1-20 is/are rejected.				
7)	Claim(s) is/are objected to.				
8)[]	Claim(s) are subject to restriction and/	or election require	ment.		
Applicati	on Papers				
9) 🗌 🧵	The specification is objected to by the Examin	er.			
10)	The drawing(s) filed on is/are: a)☐ acc	epted or b)⊡ object	ed to by the Exam	iner.	
	Applicant may not request that any objection to t	he drawing(s) be he	d in abeyance. See	37 CFR 1.85(a)	•
11) 🔲 -	The proposed drawing correction filed on	is: a)∏ approve	ed b)∏ disapprov	ed by the Examir	ner.
	If approved, corrected drawings are required in r	eply to this Office ac	tion.		
12) 🔲 🗀	Γhe oath or declaration is objected to by the Ε	xaminer.			
Priority u	ınder 35 U.S.C. §§ 119 and 120				
13)	Acknowledgment is made of a claim for foreig	n priority under 3	5 U.S.C. § 119(a)-	(d) or (f).	
a)[☐ All b)☐ Some * c)☐ None of:				
	1. Certified copies of the priority documer	nts have been rece	ived.		
	2. Certified copies of the priority documer	nts have been rece	ived in Application	No	
	3. Copies of the certified copies of the pri- application from the International B see the attached detailed Office action for a lis	ureau (PCT Rule 1	l7.2(a)).		l Stage
14) 🗌 A	cknowledgment is made of a claim for domes	tic priority under 3	5 U.S.C. § 119(e)	(to a provisiona	al application).
a)	☐ The translation of the foreign language procedure.	ovisional applicati	on has been recei	ved.	,,
Attachment	(s)				
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	4)	Interview Summary (I Notice of Informal Par Other:		
S. Patent and Tra TO-326 (Rev		Action Summary		Part of	Paper No. 10

Art Unit: 1714

DETAILED ACTION

Applicant filed a supplement amendment, Paper No. 8, dated June 20, 2002 adding claims 16-20 to the instant application. Newly added claims 16-20 were entered of record after the mailing of the office action, Paper No. 7, dated July 29, 2002. The following rejections are set forth below that address all the pending claims of record including newly added claims16-20.

The ASTM Designation: D 720-91 article received on April 22, 2002 has been made of record.

The 35 USC 112 first paragraph rejection is withdrawn in view of applicant's amendments and arguments made of record.

Claim 1 objected to because of the following informalities: The phrase 0.8 g/cm³ should be corrected in line 4 of claim 1 so that the numeral 3 is a superscript. Appropriate correction is required.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-5 and 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harnett 3,309,437 in view of Koppelman 4,127,391 combined with Madley et at (Madley) GB 1,489,690 and Kirk-Othmer.

Harnett teaches a porous based product having compressive strength typically in excess of 5,000 psi (note column 4, lines 1-9) when heated to 950°C and an apparent density of 0.93 g/cc (note Table 1 for Example 4 and 5) and further graphitizing (note column 5, lines 20-44) which anticipates claims 1-4 of Applicant. The apparent density of 0.93 g/cm of patentees is rendered obvious the apparent density of between about 0.1 and about 0.8 g/cm³ of applicants. It is the examiner's position that "about 0.8 g/cm³ reads on 0.93 g/cc. Harnett is silent to the coal based product and having a free index swell of between about 3.5 and about 5.0, and preferably between about 3.75 and about 4.5.

It would be obvious to the artisan in the art to use a coal based product as the starting material for the coke product in view of Koppelman and a coal with swelling index between 3 and 9 in view of Madley and Kirk-Othmer. Koppelman teaches coke produced from bituminous coal, column 1, lines 17-68, Examples 1-2 and the Table at column 11. It is the examiner's position that since coke is produced from coal, it is a coal base product.

Patentees Madley teaches the artisan in the art that by varying the pretreatment conditions, e.g. temperature and reaction time, the swelling properties of a specific coal can be controlled to a substantial degree for the subsequent use of the coal in further process step, note page 1, lines 69-75. Madley further teaches a coal having a swell index of 3.5 which encompass the about 3.5 and about 5.0 range, and suggest the preferred range of about 3.75 and about 4.5 of the instant claims, note Madley the example on page 2, lines 32 to 40.

Art Unit: 1714

The Kirk-Othmer article teaches the artisan in the art that it is state of the art knowledge that best cokes come from coals having swelling indexes between 4 and 9, the last paragraph on page 455 of Vol. 6. The article further discloses application of Coal Petrology and Petrography, pages 429 to page 434 of Vol. 6, particularly figure 3 at page 431 for swelling indexes of coal and Table 4 for the coal classification. It would be obvious to the artisan in the art to use the bituminous coal of Koppelman and particularly a coal having 3.5-9 swell index of the secondary references as the starting material coal of the primary reference having a swell index of between 4 and 9 to produce the best coke.

Claims 6-10 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harnett 3,309,437 in view of Koppelman 4,127,391 combined with Madley et al (Madley) GB 1,489,690 and Kirk-Othmer as applied to claims 1-5 above, and further in view of Harnett 3,309,437 in view of Koppelman 4,127,391 combined with Madley et al (Madley) GB 1,489,690 and Kirk-Othmer.

Harnett teaches a process for producing porous coal-based product produced from coal comprising the steps of heating coal particles in a mold, carbonizing at a temperature over 600°C at heat rate of 10°C, cooling said carbonized body and further graphitizing said carbonized body, note in the entirety, especially Examples 1-2 and 3-12 of table 1, column 1, line 51 to column 2, lines 1-35, column 3, lines 1-22 and 49 to column 4, lines 1-65 and column 6.

Applicants claimed process differs from that of the prior art in that the instant process comprises a soaking step and a controlled cooling step, and specific coal free

Art Unit: 1714

index swell. It is the Examiner's position that the inclusion of a soaking step and controlled cooling step would be obvious in view of Koppelman. Koppelman teaches a soaking and a control cooling steps after a carbonizing step for treating coal; note the bridging paragraph of columns 6 and 7. It would be obvious to one of ordinary skill in the art to add the soaking and control cooling steps of the secondary reference to the process of the primary reference as the cooling step because the use of two or more conventional steps to achieve the same cooling steps render the instant claims obvious.

Claims 11-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harnett 3,309,437 in view of Koppelman 4,127,391 combined with Madley et al (Madley) GB 1,489,690 and Kirk-Othmer as applied to claims 1-5 above, and further in view of Kuroda JP-0, 811,287,619A.

Harnett teaches a porous based product having comprehensive strength typically in excess of 5,000 psi (note page 4, lines 1-9) when heated to 950°C and an apparent density of 0.93 g/cc (note Table 1 for examples 4 and 5) and further graphitizing (note columns 5, lines 20-44). Patentee's apparent density of between about 0.1 and about 0.8 g/cm³ reads on Applicants' apparent density of 0.93 g/cc. Patentee also teaches that formed bodies are used for insulating blocks for furnaces and reactors, filters, etc. (Note column 3, lines 12-22) and that the core products are formed inside containers made of graphite, stainless steel or cardboard (note column 2, lines 4-11).

The instant claims of Applicants require the core to be laminated sheet product wherein Harnett with the secondary reference teachings is silent to the said laminated

Art Unit: 1714

products being sheet products. It is the examiner's position that it would be obvious to the artisan in the art to use a core between laminate sheets in view of JP '876.

The JP '876 reference teach laminated sheets comprising a core of charcoal powder (graphitized coal product) and activated carbon powder (carbonized and coal product) note the English abstract and Figures 1-3. It would be obvious to the artisan in the art to use the laminated sheet with a core of the JP '876 patent as the laminated sheet with the core of Harnett with the combined teachings of the secondary references. The cores and sheets of JP '876 are of the same nature as the core and container of Harnett to be used for the same intended purposes as laminated products for walls, etc.

Applicant's arguments with respect to claims 1-15 have been considered but are moot in view of the new ground(s) of rejection.

The prior art cited but not applied further teach coal and coal base products of the same nature as claimed by applicants.

The Notice of References Cited, PTO-892 along with the references that were submitted with Paper No. 7 dated July 29, 2002 is not enclosed with this office action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Margaret B. Medley whose telephone number is 703-308-2518. The examiner can normally be reached on Monday-Friday from 7:30 am to 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vasu Jagannathan can be reached on 703-306-2777. The fax phone numbers for the organization where this application or proceeding is assigned are 703-

Art Unit: 1714

872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Examiner Medley/mn September 03, 2002 Margaret B. Medler MARGARET MEDLEY Page 7